

LEGEND

- LDP Boundary
- * Lots subject to Quiet House Design Requirements
- Bushfire Attack Level (BAL)
 - BAL 12.5
 - BAL 19 (all other lots BAL LOW)
- The BAL for individual lots has been based upon the Bushfire Management Plans (BMP's) prepared by Bushfire Safety Consulting dated 16 March 2018 and 8 June 2018. The BMP's have been prepared to address the State Planning Policy No. 3.7: Planning for Bushfire Prone Areas and provide acceptable solutions and performance principles in the *Guidelines for Planning in Bushfire Prone Areas* (WAPC 2017 V1.3)

LOCAL DEVELOPMENT PLAN PROVISIONS

The provisions addressed below and accompanying plan relate to the Western Australian Planning Commission approved subdivision WAPC 151352 and 156425.

The City of Wanneroo District Planning Scheme No. 2 and Residential Design Codes apply unless otherwise provided for below.

Compliance with the following standards does not require consultation with adjoining landowners.

1.0 DEVELOPMENT STANDARDS

As per the R-MD Codes, except as noted below:

- Variations to front setbacks to address the Bushfire Management Plan Lots 1927 - 1935 inclusive 5.0m minimum (no averaging permitted). Note: if the primary setback for the above mentioned lots is less than 5 metres, the BAL for these lots will be BAL-29.

2.0 Lots directly fronting POS (Lots 1901 - 1905)

- Building Setbacks
 - 2.0m minimum to POS (dwellings must have an articulated elevation to the POS which must include one major opening).

3.0 SPECIAL PROVISIONS

Quiet House Design Requirements
 Façade protection treatments (Quiet House Design Measures) as defined in the Lloyd George Acoustic report dated 21 April 2015 are required for the following:

- Ground Floor: Lots 1927 & 1928 as per Package 'A'.
- Upper Floor: Lots 1853, 1854, 1912, 1913 and 1926 - 1935 as per Package 'A'.

Details of the Quiet House Design Requirements are included in Attachment 1.



Lots 1927 to 1935
 Primary street setback 5.0m minimum (no averaging) to achieve BAL-19

ENDORSEMENT


This Local Development Plan has been endorsed by Council under Clause 52(1)(a) of the Deemed Provisions of District Planning Scheme No. 2

[Signature] 18/3/19
 Manager Approval Services - City of Wanneroo

Date _____



LOCAL DEVELOPMENT PLAN 44 (AGORA)
 STAGE 27
 LANDBEACH BOULEVARD, ALKIMOS



GRAY & LEWIS
 LAND USE PLANNERS
 PO Box 234
 Floreat, WA 6014
 T (08) 9474 1722
 M 0419 474 172
 geoff@graylewis.com.au